


# vulcanair aircraft



## **P68C**

## **STANDARD EQUIPMENT LIST**

**V14.03.17**



***IMPORTANT NOTE: this document is a general description of the aircraft equipment only. It is not a technical document and is to be used only for the purpose of generally describing the aircraft standard equipment.***

Vulcanair S.A. and Vulcanair S.p.A. reserve the right to make changes in specifications, materials, equipment or prices at anytime without prior notice or to discontinue models as required. It is the responsibility of the pilot to conduct all operations in accordance with the approved Pilot's Operating Handbook, which is the only official source of data. Vulcanair S.p.A. Copyright © 1996-2017 All Rights Reserved.

## ***POWERPLANT AND PROPELLER***

---

### **Engines:**

Two Textron Lycoming IO-360-A1B6 200HP @ 2,700 RPM, 4 Cylinders, Direct Drive, Normally Aspirated, Fuel Injected (Bendix Type) Tuned Induction, Horizontal Opposed, Air-cooled with incorporated oil jets for internal piston cooling.

### **Engine Mounts:**

Dynafoal Type, Two  
Engine shock absorber, Two

### **Oil System:**

Oil Filters Cartridge Type, Two  
Oil Coolers Full Flow, Two

### **Air Intake System:**

Air Filter Foam Type, Two  
Alternate source w/Manual Control, Two

**Geared Starter:** Two

### **Propeller:**

Hartzell, Two Blade, Constant Speed Full Feathering Propellers, Two  
Polished Propeller Spinners, Two  
Hydraulic Propeller Governor, LH  
Hydraulic Propeller Governor, RH

**Cross-over Exhaust System with Muffler:** Two

## ***FLIGHT INSTRUMENTS AND INDICATORS***

---

**DIGITAL PRIMARY DISPLAY GARMIN GDU 1040, One**

**DIGITAL MULTIFUNCTION DISPLAY GARMIN GDU 1040, One**

**Magnetic Compass** (Illuminated)

**Mid-Continent Digital Standby Attitude Module (SAM) MD-302**

**1st Heated Pitot System**

**Fuel Quantity Indicator function (Included in G950)**

**Chronometer function (Included in G950)**

**Outer Temperature (Included in G950)**

**ELT switch remote controller**

**Engine Hour-Meter**

## **COCKPIT, FLIGHT AND GROUND CONTROLS**

---

### **Dual primary Flight Controls**

### **Landing Gear, Fixed Tricycle**

### **Automatic Emergency Locator Transmitter ELT 406 MHZ**

### **Engine Control Pedestal mounted with adjustable friction:**

Throttle, Two

Propellers, Two

Mixture, Two

### **Flight Trim Controls:**

Rudder: Mechanic wheel on Pedestal with Indicator

Stabilator: Mechanic wheel on Pedestal with Indicator

Stabilator: Electric switch on control Wheel

### **Alternate Source Engine Air Inlet Control**

### **Alternate Instrument static Source and Control**

### **Heavy Duty Brake System:**

Pilot Toe Brake Cylinders

Co-pilot Toe Brake Cylinders

Parking Brake

### **Stall Warning System:**

Stall Warning Horn

Heated Stall Detector

### **Main Wheels 7.00-6 8 Ply Good Year Tyre and Tubes, Two**

### **Nose wheel 5.00-5 6 Ply Good Year Tyre and Tubes**

### **Steerable Nose Wheel (self-un-locking) with shimmy damper**

**Flap Position Electric Control:** Discrete switch for each flap setting

**Fuel Selector Two:** Normal on; Shut-off; Crossfeed positioning

### **Overhead Panel Rocker Switches Internally Lighted:**

Guarded Left and Right Starter Two

Left and Right Fuel Pump Two

Guarded Left Engine/Left and Right Magnetos Switches Two

Guarded Right Engine/Left and Right Magnetos Switches Two

Map Light Switch

### **Mic Button on Control Wheel**

### **Headset Bose A20, Two**

### **Bose 6 Pin Redel Connector, Six**

### **Mic /Phone Jacks, Six**

### **Rocker Switches on Master Switches Panel (pilot's left side):**

Battery Master

RH Gen

LH Gen

Instruments & Radio Lights

Avionics BUS Master

Secondary BUS Master

Instruments Light Dimmer

Cabin Air Hot/Defrost Control Panel

#### **LH Switches Panel**

Landing Light  
Navigation Lights  
Stall Heated detector  
Pitot Heat  
Strobe Light  
Taxi Light  
Ice Inspection Light

#### **RH Switches Panel**

A/P Master (close to autopilot)  
A/P Elect. Trim (close to autopilot)

### ***ELECTRICAL SYSTEMS***

---

**24 Volt, 19 Amp/Hour Battery (Concorde RG24-20)**

**130 A Alternator 28Vdc, Two**

**Voltage Regulators, Two**

**Resettable Circuit Breakers**

**External Power Supply Receptacle**

**Static Discharge Wicks**

### ***FUEL SYSTEM***

---

**Two Fuel Tanks** with 142 Gallons (538 litres) Total Capacity; 138 Gallons Usable (520 Litres)

**Auxiliary Electric Pump, Two**

**Individual Fuel Tank Quick Drain, Two**

**Fuel Strainer, Two**

**Fuel Filter, Two**

**Fuel Gascolator Two**

### ***LIGHTING SYSTEMS***

---

#### **EXTERIOR LIGHTING:**

**Navigation Light (LED)**

**Recognition Lights Wing Tip, Two (LED)**

**Strobe Lights-Comet Flash Wing Tip, Two (LED)**

**Strobe Light Tail (LED)**

**Taxi Light Wing Mounted (LED)**

**Landing Light Wing Mounted (LED)**

**Ice Inspection Light, Left Wing**

**INTERIOR LIGHTING:**

**Map swivel light with touch sensing control, Two (LED)**

**Under-wing Courtesy Light, One (left side)**

**Cabin Reading Lights, Four**

**Internally Lighted Rocker Switches**

***CABIN COMFORT SYSTEM***

---

**Cabin Air Heating System**

**Fan Heater/Windshield Defrost**

**Cabin Fresh Air Vent with Ventilation Fan**

**Overhead Cabin Fresh Air Distribution Vents, Two**

**Pilot Door ( rh side of aircraft)**

**Cabin Door**

**Rear Cargo Door**

**Emergency Escape Window**

**Soundproofing**

***EXTERNAL FEATURES***

---

**Standard paint scheme**

**Full Chemical Corrosion Protection**

**Tow Bar**

**Tie-Down Rings, Three**

**Jack Pads**

**Control Surface Lock Kit (Tail + Aileron)**

**Locks with Keys Cabin and Baggage Doors**

## ***COCKPIT AND CABIN APPOINTMENTS***

---

**Speaker**

**Luggage Compartment (24 Cu.Ft., 400Lbs)**

**Pilot and Co-Pilot Seats reclining fore/aft and vertical adj., with magazine storage pockets on back;**

**Rear Passenger seat with reclining feature and fore/aft adjustable (2<sup>ND</sup> Row), Two.**

**Rear Passenger Seat (3<sup>rd</sup> Row), Two.**

**Three Point Seat Belts and Inertial Reel, Six**

**Lightweight Carpeting**

**Pilot and Co-pilot Storm Windows**

**Sunvisor, Two**

**24 Volt, 5 Amp Auxiliary Power Socket, Three**

**Map Pockets, Two**

**Emergency Torch**

**First Aid Kit**

**Manual Fire Extinguisher**

**Pitot Tube Cover**

**Fuel Stick Gauge**

## ***PRODUCT SUPPORT DOCUMENTS***

---

**Flight Manual,**

**Parts Catalogue,**

**Maintenance Manual**

**MMEL**

**Vulcanair Limited Warranty**

**OEM Manufactures Limited Warranty**

**Aircraft Log Book**

**Engine Log Book, Two**

**Statement of Conformity**

**NEW GENERATION AVIONICS PACKAGE**

**AUTOPILOT TWO AXIS S-TEC SYSTEM 55X**

**GARMIN G950 INTEGRATED COCKPIT SYSTEM:**

**DIGITAL PRIMARY DISPLAY GARMIN GDU 1040, CONTROL/DISPLAY UNIT, ONE**  
**DIGITAL MULTIFUNCTION DISPLAY GARMIN GDU 1040, CONTROL/DISPLAY UNIT, ONE**  
**AHRS GARMIN GRS 77/GMU 44, ONE**  
**TRANSPONDER GARMIN GTX 33 MODE S**  
**AUDIO PANEL WITH MARKER BEACON AND INTERCOM GMA 1347**  
**GIA63W COMM/NAV/GS/GPS INTEGRATED AVIONIC UNITS, TWO**  
**AIR DATA COMPUTER GARMIN GDC74A**  
**ENGINE INTERFACE UNIT GARMIN GEA71, TWO**



**Note: Cockpit shown with some optional equipment**